

CERTIFICATE NUMBER

18-HG1759357-PDA

EFFECTIVE DATE

15 August 2018

**EXPIRATION DATE** 

14 August 2023

ABS TECHNICAL OFFICE

Hamburg Engineering Department

# **CERTIFICATE OF**

# **Product Design Assessment**

This is to certify that a representative of this Bureau did, at the request of

# **ELWA ELEKTRO-WAERME GMBH & CO. KG**

located at

Frauenstr. 26 D-82216 Maisach Germany

assess design plans and data for the below listed product. This assessment is a representation by the Bureau as to the degree of compliance the design exhibits with applicable sections of the Rules. This assessment does not waive unit certification or classification procedures required by ABS Rules for products to be installed in ABS classed vessels or facilities. This certificate, by itself, does not reflect that the product is Type Approved. The scope and limitations of this assessment are detailed on the pages attached to this certificate.

# Product Heater, Electric

Model Series: 4700 (comprising types: 4701/4702/4703/4704/4705/4706/4707/4708/4709/4710/4711/4712/4713)

This Product Design Assessment (PDA) Certificate remains valid until expiration date or until the Rules and/or Standards used in the assessment are revised or until there is a design modification warranting design reassessment (whichever occurs first).

Acceptance of product is limited to the "Intended Service" details prescribed in the certificate and as per applicable Rules and Standards.

This Certificate is valid for installation of the listed product on ABS units which exist or are under contract for construction on or previous to the effective date of the ABS Rules and standards applied at the time of PDA issuance. Use of the Product for non-ABS units is subject to agreement between the manufacturer and intended client.

American Bureau of Shipping

Dagmar Gramatzki,

Engineer/Consultant

NOTE: This certificate evidences compliance with one or more of the Rules, Guides, standards or other criteria of ABS or a statutory, industrial or manufacturer's standards. It is issued solely for the use of ABS, its committees, its clients or other authorized entities. Any significant changes to the aforementioned product without approval from ABS will result in this certificate becoming null and void. This certificate is governed by ABS Rules 1-1-A3/5.9 Terms and Conditions of the Request for Product Type Approval and Agreement (2010).

#### ELWA ELEKTRO-WAERME GMBH & CO. KG

FRAUENSTR 26 D-82216 MAISACH

Germany

Telephone: NA

Fax:

Email: sales@elwa.com Web: www.elwa.com

Tier: 2 - PDA Issued

**Product:** 

Heater, Electric

Model:

Series: 4700 (comprising types:

4501 /4502 /4502 /4504 /4505 /450

4701/4702/4703/4704/4705/4706/4707/4708/4709/4710/4711/4712/4713)

**Intended Service:** 

For Heavy Fuel Oil, Diesel Oil, Lubricating Oil, Water and Similar Fluid Heating Purposes.

**Description:** 

Modularised/compact type electrically powered continuous flow heaters with integral unit control/monitoring arrangements.

Heating space stainless steel, housing steel vanished, galvanized.

Unit in-/outlet connections with either SAE type flanges or cutting ring connections.

#### Rating:

- Capacity: 1.5 kW to 39 kW depending on size.

- Maximum operating pressure/temperature: 6.0 bar/100 degrees C.

- Degree of protection: IP54.

#### Service Restriction:

- Unit Certification is not required for this product. If the manufacturer or purchaser's request an ABS Certificate for compliance with a specification or standard, the specification or standard, including inspection standards and tolerances, must be clearly defined.
- The electric heaters are neither to be used for weather exposed areas nor hazardous area. It is to be installed in accordance with protection degree and 4-8-3/Table 2 of the Steel Vessels Rules.

#### **Comments:**

- The manufacturer has provided a declaration about the control of, or the lack of asbestos in this product.
- Application and use are to be in accordance with the manufacturer's instructions.

Notes/Drawing/Documentation:

Document No. TD and Docs, Technical Drawings and Documentation, Revision: -, Pages: 114.

Document No. Test Report No. 2065950\_AG3340600\_AP, Test Report of 13 Dec 2017\_Elwa ABS witnessed, Revision: -, Pages: 1.

Terms of Validity:

This Product Design Assessment (PDA) Certificate 18-HG1759357-PDA, dated 15/Aug/2018 remains valid until 14/Aug/2023 or until the Rules or specifications used in the assessment are revised (whichever occurs first).

This PDA is intended for a product to be installed on an ABS classed vessel, MODU or facility which is in existence or under contract for construction on the date of the ABS Rules or specifications used to evaluate the Product.

Use of the Product on an ABS classed vessel, MODU or facility which is contracted after the validity date of the ABS Rules and specifications used to evaluate the Product, will require re-evaluation of the PDA.

Use of the Product for non ABS classed vessels, MODUs or facilities is to be to an agreement between the manufacturer and intended client.

### **STANDARDS**

Electronically published by ABS Hamburg. Reference T1759357, dated 15-AUG-2018.

## ELWA ELEKTRO-WAERME GMBH & CO. KG

FRAUENSTR 26 D-82216 MAISACH

Germany

Telephone: NA

Fax:

Email: sales@elwa.com Web: www.elwa.com

Tier: 2 - PDA Issued

**ABS Rules:** 2018 Steel Vessel Rules 1-1-4/7.7, 1-1-A3, 1-1-A4, 4-8-3/1.7 and 4-8-3/Table 2.

National:

NA

International:

**Government:** 

NA

**EUMED:** 

NA

**OTHERS:** 

NA